

## Author Index

- ABE, Y. *see* HORIUCHI, A.  
 ABO, T. *see* HANAWA, H.  
 ABOAGYE-MATHIESEN, G. *see* TÓTH, F.D.  
 ADERKA, D. *see* ETTEHADI, P.  
 AKAHOSHI, T. *see* ENDO, H.  
 AKATSUKA, H., IMANISHI, K., INADA, K., YAMASHITA, H., YOSHIDA, M. & UCHIYAMA, T. Production of tumour necrosis factors by human T cells stimulated by a superantigen, toxic shock syndrome toxin-1, 422  
 AKIYOSHI, H. *see* KARIMINE, N.  
 AMARA, A., CHAUGIER, C., RAGNAUD, J.-M. & GEFFARD, M. Circulating autoantibodies directed against conjugated fatty acids in sera of HIV-1 infected patients, 379  
 AMEMIYA, E. *see* KOBAYASHI, T.  
 ANDERSSON, U. *see* EBERHARD, B.A.  
 ANDREW, P.W. *see* WARWICK-DAVIES, J.  
 ARANYOSI, J. *see* TÓTH, F.D.  
 ARINAGA, S. *see* KARIMINE, N.  
 ARNOLD, K., TANDON, N., MCINTOSH, R.S., ELISEI, R., LUDGATE, M. & WEETMAN, A.P. T cell responses to orbital antigens in thyroid-associated ophthalmopathy, 329  
 ARTLETT, C. *see* MCHUGH, N.J.  
 ATTA, M.S., POWELL, R.J. & TODD, I. The influence of anti-fibronectin antibodies on interactions involving extracellular matrix components and cells: a possible pathogenic mechanism, 26  
 ATTA, M.S., POWELL, R.J., HOPKINSON, N.D. & TODD, I. Human anti-fibronectin antibodies in systemic lupus erythematosus: occurrence and antigenic specificity, 20  
 AVANZINI, M.A., BJÖRKANDER, J., SÖDERSTRÖM, R., SÖDERSTRÖM, T., SCHNEERSON, R., ROBBINS, J.B. & HANSON, L.A. Qualitative and quantitative analyses of the antibody response elicited by *Haemophilus influenzae* type b capsular polysaccharide-tetanus toxoid conjugates in adults with IgG subclass deficiencies and frequent infections, 54  
 BACHOVCHIN, W.W. *see* KUBOTA, T.  
 BAKE, A.W.L. *see* LUE, C.  
 BAKKER, N.P.M. *see* TURNER, S.  
 BANGHAM, C.R.M. *see* DAENKE, S.  
 BANLA, M. *see* SOBOSLAY, P.T.  
 BARONI, C.D. *see* BURGIO, V.L.  
 BASLUND, B. *see* SEGELMARK, M.  
 BATEY, R. *see* PANG, G.  
 BAUSCHER, P. *see* ZIELEN, S.  
 BELEN, R.H.J. *see* HAVENITH, C.E.G.  
 BEJLEVELD, L.J.J. *see* DAMOISEAUX, J.G.M.C.  
 BENDTZEN, K. *see* JAKOBSEN, P.H.  
 BERNAUD, J. *see* GARIN, L.  
 BETJES, M.G.H. *see* HAVENITH, C.E.G.  
 BJÖRKANDER, J. *see* AVANZINI, M.A.  
 BLACK, C.M. *see* MCHUGH, N.J.  
 BLANKE, C.H. *see* SOBOSLAY, P.T.  
 BOERBOOMS, A.M.Th. *see* WESTPHAL, J.R.  
 BOMBARDIERI, S. *see* DOLCHER, M.P.  
 BOUSQUET, J. *see* VIGNOLA, A.M.  
 BOUTIN, Y. & HÉBERT, J. Modulation of immune response to *Lol p1* by pretreatment with anti-idiotypic antibody is not restricted to the idiotype expression, 350  
 BOYLSTON, A.W. *see* CLARKE, G.R.  
 BREEDIJ, A.J. *see* HAVENITH, C.E.G.  
 BRIGGS, D.C. *see* MCHUGH, N.J.  
 BRIGHT, R.K., SHEARER, M.H. & KENNEDY, R.C. Fine specificity of the murine immune response to SV40 large tumour antigen utilizing synthetic peptides that define selected epitopes, 491  
 BROUET, J.-C., MARIETTE, X., GENDRON, M.-C. & DUBREUIL, M.-L. Monoclonal IgM from patients with peripheral demyelinating neuropathies cross-react with bacterial polypeptides, 466  
 BUNKA, S. *see* HENSEL, A.  
 BURGIO, V.L., ZUPO, S., RONCELLA, S., ZOCCHI, M., RUO, L.P. & BARONI, C.D. Characterization of EN4 monoclonal antibody: a reagent with CD31 specificity, 170  
 CAMARENA, A. *see* TORRES, M.  
 CAMP, R.D.R. *see* ETTEHADI, P.  
 CAMPBELL, A.M. *see* VIGNOLA, A.M.  
 CARTEL, J.L. *see* LAUNOIS, P.  
 CAVALLO, M.G., POZZILLI, P. & THORPE, R. Cytokines and autoimmunity, 1  
 CHAN, C.H.S. *see* LAI, K.N.  
 CHANEZ, P. *see* VIGNOLA, A.M.  
 CHATURVEDI, U.C., MUKERJEE, R. & DHAWAN, R. Active immunization by a dengue virus-induced cytokine, 202  
 CHAUGIER, C. *see* AMARA, A.  
 CHEN, M. *see* ZHANG, Z.X.  
 CHRISTENSEN, C.B.V. *see* KURTZHALS, J.A.L.  
 CHRISTENSEN, C.B.V. *see* KEMP, M.  
 CIGEL, F. *see* MALKOVSKA, V.  
 CLANCY, R. *see* PANG, G.  
 CLARKE, G.R., HUMPHREY, C.A., LANCASTER, F.C. & BOYLSTON, A.W. The human T cell antigen receptor repertoire: skewed use of V $\beta$  gene families by CD8<sup>+</sup> T cells, 364  
 CLARKE, J.R., GATES, A.J., COKER, R.J., DOUGLASS, J.A., WILLIAMSON, J.D. & MITCHELL, D.M. HIV-1 proviral DNA copy number in peripheral blood leucocytes and bronchoalveolar lavage cells of AIDS patients, 182  
 COKER, R.J. *see* CLARKE, J.R.  
 COLSTON, M.J. *see* KHANOLKAR-YOUNG, S.  
 COOK, E. *see* WHEATCROFT, N.J.  
 COUCH, L. *see* PANG, G.  
 COVAS, M.J., PINTO, L.A. & VICTORINO, R.M.M. Disrupted immunoregulatory properties of the neuropeptide substance P on lymphocyte proliferation in HIV infection, 384  
 CRIPPS, A. *see* PANG, G.  
 DAENKE, S. & BANGHAM, C.R.M. Do T cells cause HTLV-I-associated disease?: a taxing problem, 179  
 DAMOISEAUX, J.G.M.C., BEJLEVELD, L.J.J. & VAN BRED A VRIESMAN, P.J.C. The effects of *in vivo* cyclosporin A administration on rat thymic dendritic cells, 513  
 DEGIANNIS, D. *see* KIM, H.-S.  
 DE GRUIJL, T.D., MOORE, J.J., VRIES, E.D., VON BLMBERG-VAN DER FLIER, M.M.E., FONK, J.C.M. & SCHEPER, R.J. Augmentation of antigen-specific lymphoproliferative responses *in vitro* by biological response modifiers, 535  
 DEMITRI, M.T. *see* FANTUZZI, G.  
 DENGLER, T.J. *see* ZIELEN, S.  
 DENIS, M. & GHADIRIAN, E. Alveolar macrophages from subjects infected with HIV-1 express macrophage inflammatory protein-1 $\alpha$  (MIP-1 $\alpha$ ): contribution to the CD8<sup>+</sup> alveolitis, 187  
 DE WAAL, R.M.W. *see* WESTPHAL, J.R.  
 DE WEIJERT, M. *see* WESTPHAL, J.R.  
 DHAWAN, R. *see* CHATURVEDI, U.C.  
 DHILLON, J. *see* WARWICK-DAVIES, J.  
 DOLCHER, M.P., MARCHINI, B., SABBATINI, A., LONGOMBARDO, G., FERRI, C., RIENTE, L., BOMBARDIERI, S. & MIGLIORINI, P. Autoantibodies from mixed cryoglobulinaemia patients bind glomerular antigens, 317  
 DOUGLASS, J.A. *see* CLARKE, J.R.  
 DREWECK, C.M. *see* SOBOSLAY, P.T.  
 DROWART, A. *see* LAUNOIS, P.  
 DUBREUIL, M.-L. *see* BROUET, J.-C.

- EBBESEN, P. *see* TÓTH, F.D.  
 EBERHARD, B.A., LAXER, R.M., ANDERSSON, U. & SILVERMAN, E.D. Local synthesis of both macrophage and T cell cytokines by synovial fluid cells from children with juvenile rheumatoid arthritis, 260  
 EISENSTEIN, Z., ENGELSMAN, E., WEISS, M., KALECHMAN, Y. & SREDNI, B. Modulation of the IL-2 production defect *in vitro* in Graves' disease, 323  
 EIZIRIK, D.L. *see* VELLOSO, L.A.  
 ELISEI, R. *see* ARNOLD, K.  
 ELSON, C.O. *see* LUE, C.  
 EMANCIPATOR, S.N. *see* SCIVITTARO, V.  
 ENDO, H., AKAHOSHI, T., NISHIMURA, A., TONEGAWA, M., TAKAGISHI, K., KASHIWAZAKI, S., MATSUSHIMA, K. & KONDO, H. Experimental arthritis induced by continuous infusion of IL-8 into rabbit knee joints, 31  
 ENESTRÖM, S. *see* HULTMAN, P.  
 ENGELSMAN, E. *see* EISENSTEIN, Z.  
 ERLANDSSON, H. *see* KLEINAU, S.  
 ETTEHADI, P., GREAVES, M.W., WALLACH, D., ADERKA, D. & CAMP, R.D.R. Elevated tumour necrosis factor-alpha (TNF- $\alpha$ ) biological activity in psoriatic skin lesions, 146  
 FANTUZZI, G., DEMITRI, M.T. & GHEZZI, P. Differential effect of glucocorticoids on tumour necrosis factor production in mice: up-regulation by early pretreatment with dexamethasone, 166  
 FARRANT, J. *see* STAGG, A.J.  
 FERGUSON, A. *see* GHOSH, S.  
 FERRI, C. *see* DOLCHER, M.P.  
 FONK, J.C.M. *see* DE GRUIJL, T.D.  
 FUNAUCHI, M. *see* STAGG, A.J.  
 GAFAAR, A. *see* KEMP, M.  
 GARIN, L., RIGAL, D., MARSIFY, S.E., BERNAUD, J., PHILIPPE, N. & SOUILLET, G. A high percentage of HLA-DQ<sup>+</sup> and HLA-DR<sup>+</sup> mononuclear cells is associated with a low incidence of acute graft-versus-host disease after allogeneic bone marrow transplantation (BMT) in children, 344  
 GATES, A.J. *see* CLARKE, J.R.  
 GEFFARD, M. *see* AMARA, A.  
 GENDRON, M.-C. *see* BROUET, J.-C.  
 GESUALDO, L. *see* SCIVITTARO, V.  
 GHADIRIAN, E. *see* DENIS, M.  
 GHEZZI, P. *see* FANTUZZI, G.  
 GHOSH, S. & FERGUSON, A. Mucosal immunology research design should address not just cytokines and cells, but also clinical data and controls, 377  
 GITHURE, J.I. *see* KURTZHALS, J.A.L.  
 GODARD, PH. *see* VIGNOLA, A.M.  
 GOSSELIN, D., TURCOTTE, R. & LEMIEUX, S. Influence of the *Ity/Lsh/Bcg* gene on the development of suppressor cell precursors in the early phase of the infection of mice with *Mycobacterium lepraemurium*, 218  
 GOTTSTEIN, B., WUNDERLIN, E. & TANNER, I. *Echinococcus multilocularis*: parasite-specific humoral and cellular immune response subsets in mouse strains susceptible (AKR, C57B1/6J) or 'resistant' (C57B1/10) to secondary alveolar echinococcosis, 245  
 GREAVES, M.W. *see* ETTEHADI, P.  
 GREENWOOD, B.M. *see* JAKOBSEN, P.H.  
 GRÜNEWALD, K. *see* RABAUSCH-STARZ, I.  
 GUSSEVA, N.G. *see* McHUGH, N.J.  
 GUTFLEISCH, J. *see* RECKEN, B.  
 HAAS, G.P. *see* HILLMAN, G.G.  
 HAGER, H. *see* TÓTH, F.D.  
 HALBREICH, A. *see* PAVLOVITCH, J.H.  
 HAMBLIN, A.S., SHAKOOR, Z., KAPAHI, P. & HASKARD, D. Circulating adhesion molecules in sarcoidosis, 335  
 HANAWA, H., KODAMA, M., INOMATA, T., IZUMI, T., SHIBATA, A., TUCHIDA, M., MATSUMOTO, Y. & ABO, T. Anti- $\alpha\beta$  T cell receptor antibody prevents the progression of experimental autoimmune myocarditis, 470  
 HANSEN, M.B. *see* JAKOBSEN, P.H.  
 HANSON, L.A. *see* AVANZINI, M.A.  
 HARA, K. *see* HIGASHIYAMA, Y.  
 HARA, K. *see* KAWAKAMI, K.  
 HASHIMOTO, S. *see* KOBAYASHI, T.  
 HASKARD, D. *see* HAMBLIN, A.S.  
 HATA, H., MATSUZAKI, H., MATSUNO, F., SONOKI, T., TAKEMOTO, S., KURIBAYASHI, N., NAGASAKI, A. & TAKATSUKI, K. Establishment of a monoclonal antibody to plasma cells: a comparison with CD38 and PCA-1, 370  
 HAVENITH, C.E.G., VAN HAARST, J.M.W., BREEDIJCK, A.J., BETJES, M.G.H., HOOGSTEDEN, H.C., BELEN, R.H.J. & HOEFMSMIT, E.C.M. Enrichment and characterization of dendritic cells from human bronchoalveolar lavages, 339  
 HELLING, G. *see* SOBOSLAY, P.T.  
 HENSEL, A., PAPST, R., BUNKA, S. & PETZOLDT, K. Oral and aerosol immunization with viable or inactivated *Actinobacillus pleuropneumoniae* bacteria: antibody response to capsular polysaccharides in bronchoalveolar lavage fluids (BALF) and sera of pigs, 91  
 HÉBERT, J. *see* BOUTIN, Y.  
 HEUSCHKE, C. *see* SOBOSLAY, P.T.  
 HEY, A.S. *see* KEMP, M.  
 HEY, A.S. *see* KURTZHALS, J.A.L.  
 HIGASHIYAMA, Y., KATAMINE, S., KOHNO, S., MUKAE, H., HINO, S., MIYAMOTO, T. & HARA, K. Expression of human T lymphotropic virus type 1 (HTLV-1) *tax/rex* gene in fresh bronchoalveolar lavage cells of HTLV-1-infected individuals, 193  
 HILBURGER, M.E. & ZWILLING, B.S. Antigen presentation by macrophages from bacille Calmette-Guérin (BCG)-resistant and -susceptible mice, 225  
 HILLMAN, G.G., PURI, R.K., KUKURUGA, M.A., PONTES, J.E. & HAAS, G.P. Growth and major histocompatibility antigen expression regulation by IL-4, interferon-gamma (IFN- $\gamma$ ) and tumour necrosis factor-alpha (TNF- $\alpha$ ) on human renal cell carcinoma, 476  
 HINLOOPEN, B. *see* NIJHUIS, E.W.P.  
 HINO, S. *see* HIGASHIYAMA, Y.  
 HIRAMINE, C. *see* MUKASA, A.  
 HITSUMOTO, Y. *see* HORIUCHI, A.  
 HO, R.T.H. *see* LAI, K.N.  
 HOEFMSMIT, E.C.M. *see* HAVENITH, C.E.G.  
 HOFFMANN, W.H. *see* SOBOSLAY, P.T.  
 HOJO, K. *see* MUKASA, A.  
 HOLT, J. *see* TURNER, S.  
 HOOGSTEDEN, H.C. *see* HAVENITH, C.E.G.  
 HOPKINSON, N.D. *see* ATTA, M.S.  
 HORIE, T. *see* KOBAYASHI, T.  
 HORIUCHI, A., ABE, Y., MIYAKE, M., KIMURA, K., HITSUMOTO, Y., TAKEUCHI, N. & KIMURA, S. Role of membrane-associated lymphotoxin (mLT) in the killing activity of lymphokine-activated killer (LAK) cells towards various tumour cell lines, 152  
 HOSAKA, N., NAGATA, N., MIYASHIMA, S. & IKEHARA, S. Attenuation of *lpr*-graft-versus-host disease (GVHD) in MRL/*lpr* spleen cell-injected SCID mice by *in vivo* treatment with anti-V $\beta$ 8.1,2 monoclonal antibody, 500  
 HULTMAN, P., ENESTRÖM, S., TURLEY, S.J. & POLLARD, K.M. Selective induction of anti-fibrillar autoantibodies by silver nitrate in mice, 285  
 HUMPHREY, C.A. *see* CLARKE, G.R.  
 HUTCHINGS, P.R. *see* OLIVEIRA, G.G.S.  
 HUYGEN, K. *see* LAUNOIS, P.  
 HVIID, L. *see* JAKOBSEN, P.H.  
 IIZUKA, H. *see* KUBOTA, T.  
 IKEDA, H. *see* MITSUYAMA, K.  
 IKEHARA, S. *see* HOSAKA, N.  
 ILANGUMARAN, S., SHANKER NARAYAN, N.P., RAMU, G. & MUTHUKARUPPAN, V.R. Cellular and humoral immune responses to recombinant 65-kD antigen of *Mycobacterium leprae* in leprosy patients and healthy controls, 79  
 IMAI, K. *see* KOBAYASHI, T.  
 IMANISHI, K. *see* AKATSUKA, H.  
 INADA, K. *see* AKATSUKA, H.  
 INOMATA, T. *see* HANAWA, H.  
 INOUE, H. *see* KARIMINE, N.  
 ISMAIL, A. *see* KEMP, M.  
 IZUMI, T. *see* HANAWA, H.  
 JACOBS, C. *see* WESTPHAL, J.R.

- JACOBS, M.J.M., VAN DEN HOEK, A.E.M., VAN DE PUTTE, L.B.A. & VAN DEN BERG, W.B. Suppression of hen egg lysozyme-induced arthritis by intravenous antigen administration: no role in this for antigen-driven bystander suppression, 36
- JAKOBSEN, P.H., MORRIS-JONES, S., THEANDER, T.G., VHIID, L., HANSEN, M.B., BENDTZEN, K., RIDLEY, R.G. & GREENWOOD, B.M. Increased plasma levels of soluble IL-2R are associated with severe *Plasmodium falciparum* malaria, 98
- JARDIM, A. see KURTZHALS, J.A.L.
- JERRELLS, T.R. see KRUGER, T.E.
- JIMENEZ-SAMUDIO, L. see TORRES, M.
- JULIAN, B.A. see LUE, C.
- KADOTA, J. see KAWAKAMI, K.
- KALECHMAN, B. see EISENSTEIN, Z.
- KÄMPE, O. see VELLOSO, L.A.
- KAPAH, P. see HAMBLIN, A.S.
- KARIMINE, N., ARINAGA, S., INOUE, H., NANBARA, S., UEO, H. & AKIYOSHI, T. Lymphokine-activated killer cell function of peripheral blood mononuclear cells, spleen cells and regional lymph node cells in gastric cancer patients, 484
- KARLSSON, F.A. see VELLOSO, L.A.
- KASHIWAZAKI, S. see ENDO, H.
- KATAMINE, S. see HIGASHIYAMA, Y.
- KAWAKAMI, K., KOHNO, S., MORIKAWA, N., KADOTA, J., SAITO, A. & HARA, K. Activation of macrophages and expansion of specific T lymphocytes in the lungs of mice intratracheally inoculated with *Cryptococcus neoformans*, 230
- KEMP, A.J.W. VAN DER see PEER, R.
- KEMP, M., HEY, A.S., KURTZHALS, J.A.L., CHRISTENSEN, C.B.V., GAFFAR, A., MUSTAFA, M.D., KORDOFANI, A.A.Y., ISMAIL, A., KHARAZMI, A. & THEANDER, T.G. Dichotomy of the human T cell response to *Leishmania* antigens. I. Th1-like response to *Leishmania major* promastigote antigens in individuals recovered from cutaneous leishmaniasis, 410
- KEMP, M. see KURTZHALS, J.A.L.
- KENNEDY, R.C. see BRIGHT, R.K.
- KHANOLKAR-YOUNG, S., YOUNG, D.B., COLSTON, M.J., STANLEY, J.N.A. & LOCKWOOD, D.N.J. Nerve and skin damage in leprosy is associated with increased intralosomal heat shock protein, 208
- KHARAZMI, A. see KEMP, M.
- KHARAZMI, A. see KURTZHALS, J.A.L.
- KIM, H.-S., RASKOVA, J., DEGIANNIS, D. & RASKA, K. Jr. Effects of cyclosporine and rapamycin on immunoglobulin production by preactivated human B cells, 508
- KIMURA, K. see HORIUCHI, A.
- KIMURA, S. see HORIUCHI, A.
- KISS, J. see TÓTH, F.D.
- KLARESKOG, L. see KLEINAU, S.
- KLEINAU, S., ERLANDSSON, H. & KLARESKOG, L. Percutaneous exposure of adjuvant oil causes arthritis in DA rats, 281
- KNIGHT, S.C. see STAGG, A.J.
- KOBAYASHI, T., HASHIMOTO, S., IMAI, K., AMEMIYA, E., YAMAGUCHI, M., YACHI, A. & HORIE, T. Elevation of serum soluble intercellular adhesion molecule-1 (sICAM-1) and sE-selectin levels in bronchial asthma, 110
- KODAMA, M. see HANAWA, H.
- KOHNO, S. see HIGASHIYAMA, Y.
- KOHNO, S. see KAWAKAMI, K.
- KONDO, H. see ENDO, H.
- KORDOFANI, A.A.Y. see KEMP, M.
- KRUGER, T.E. & JERRELLS, T.R. Effects of ethanol consumption and withdrawal on B cell subpopulations in murine bone marrow, 521
- KUBOTA, T., IIZUKA, H., BACHOVCHIN, W.W. & STOLLAR, B.D. Dipeptidyl peptidase IV (DP IV) activity in serum and on lymphocytes of MRL/Mp-lpr/lpr mice correlates with disease onset, 292
- KUKURUGA, M.A. see HILLMAN, G.G.
- KURIBAYASHI, N. see HATA, H.
- KURTZHALS, J.A.L., HEY, A.S., JARDIM, A., KEMP, M., SCHAEFER, K.-U., ODERA, E.O., CHRISTENSEN, C.B.V., GITHURE, J.I., OLAFSON, R.W., THEANDER, T.G. & KHARAZMI, A. Dichotomy of the human T cell response to *Leishmania* antigens. II. Absent or Th2-like response to gp63 and Th1-like response to lipophosphoglycan-associated protein in cells from cured visceral leishmaniasis patients, 416
- KURTZHALS, J.A.L. see KEMP, M.
- KWAST, H. see WESTPHAL, J.R.
- LAI, C.K.W. see LAI, K.N.
- LAI, K.N., HO, R.T.H., LAI, C.K.W., CHAN, C.H.S. & LI, P.K.T. Increase of both circulating Th1 and Th2 T lymphocyte subsets in IgA nephropathy, 116
- LAMPÉ, L. see TÓTH, F.D.
- LANCASTER, F.C. see CLARKE, G.R.
- LAUNOIS, P., NIANG N'DIAYE, M., SARTHOU, J.L., DROWART, A., VAN VOOREN, J.P., CARTEL, J.L. & HUYGEN, K. T cell reactivity against antigen 85 but not against the 18- and 65-kD heat shock proteins in the early stages of acquired immunity against *Mycobacterium leprae*, 86
- LAXER, R.M. see EBERHARD, B.A.
- LEMIEUX, S. see GOSSELIN, D.
- LI, P.K.T. see LAI, K.N.
- LI, T.C. see WHEATCROFT, N.J.
- LIGHTHART, G.J. see NIJHUIS, E.W.P.
- LINK, H. see NAVIKAS, V.
- LINK, J. see NAVIKAS, V.
- LITTLER, W.A. see LYNCH, M.
- LOCKWOOD, D.N.J. see KHANOLKAR-YOUNG, S.
- LONGOMBARDO, G. see DOLCHER, M.P.
- LOWRIE, D.B. see WARWICK-DAVIES, J.
- LÜDER, C.G.K. see SOBOSLAY, P.T.
- LUDGATE, M. see ARNOLD, K.
- LUE, C., VAN DEN WALL, BAKE, A.W.L., PRINCE, S.J., JULIAN, B.A., TSENG, M.-L., RADL, J., ELSON, C.O. & MESTECKY, J. Intraperitoneal immunization of human subjects with tetanus toxoid induces specific antibody-secreting cells in the peritoneal cavity and in the circulation, but fails to elicit a secretory IgA response, 356
- LUKOWSKY, A. see SCHWAB, J.
- LYDYARD, P.M. see OLIVEIRA, G.G.S.
- LYNCH, M., PENTECOST, B.L., LITTLER, W.A. & STOCKLEY, R.A. The significance of anti-streptokinase antibodies, 427
- MADDISON, P.J. see MCHUGH, N.J.
- MAEZAWA, A. see TSUKADA, Y.
- MAGNIUS, L.O. see ZHANG, Z.X.
- MALKOVSKA, V., CIGEL, F. & STORER, B.E. Human T cells in hu-PBL-SCID mice proliferate in response to Daudi lymphoma and confer anti-tumour immunity, 158
- MARCHINI, B. see DOLCHER, M.P.
- MARFELLA, C. see SCIVITTARO, V.
- MARIETTE, X. see BROUET, J.-C.
- MARSIFY, S.EL see GARIN, L.
- MARUSSIG, M. see PAVLOVITCH, J.H.
- MATSUMOTO, Y. see HANAWA, H.
- MATSUNO, F. see HATA, H.
- MATSUSHIMA, K. see ENDO, H.
- MATSUZAKI, H. see HATA, H.
- MCHUGH, N.J., WHYTE, J., ARTLETT, C., BRIGGS, D.C., STEPHENS, C.O., OLSEN, N.J., GUSSEVA, N.G., MADDISON, P.J., BLACK, C.M. & WELSH, K. Anti-centromere antibodies (ACA) in systemic sclerosis patients and their relatives: a serological and HLA study, 267
- MCHINTOSH, R.S. see ARNOLD, K.
- MELCHERS, I. see SCHWAB, J.
- MENDEZ-SAMPEIRO, P. see TORRES, M.
- MESTECKY, J. see LUE, C.
- MEUR, S.C. see ZIELEN, S.
- MICHAELIS, I. see SOBOSLAY, P.T.
- MICHEL, F.-B. see VIGNOLA, A.M.
- MIGLIORINI, P. see DOLCHER, M.P.
- MITCHELL, D.M. see CLARKE, J.R.
- MITSUYAMA, K., TOYONAGA, A., SASAKI, E., WATANABE, K., TATEISHI, H., NISHIYAMA, T., SAKI, T., IKEDA, H., TSURUTA, O. & TANIKAWA, K. IL-8 as an important chemoattractant for neutrophils in ulcerative colitis and Crohn's disease, 432
- MIYAKE, M. see HORIUCHI, A.
- MIYAMOTO, T. see HIGASHIYAMA, Y.
- MIYASHIMA, S. see HOSAKA, N.
- MOORE, J.J. see DE GRUILL, T.D.
- MORGAN, P.J.L. see TURNER, S.

- MORIKAWA, N. *see* KAWAKAMI, K.  
 MORRIS-JONES, S. *see* JAKOBSEN, P.H.  
 MOSBORG-PETERSEN, P. *see* TÓTH, F.D.  
 MUKAE, H. *see* HIGASHIYAMA, Y.  
 MUKASA, A., HIRAMINE, C. & HOJO, K. Generation and characterization of a continuous line of CD8<sup>+</sup> suppressively regulatory T lymphocytes which down-regulates experimental autoimmune orchitis (EAO) in mice, 138  
 MUKERJEE, R. *see* CHATURVEDI, U.C.  
 MÜLLER-HERMELINK, H.-K. *see* RABAUSCH-STARZ, I.  
 MUSTAFA, M.D. *see* KEMP, M.  
 MUTHUKARUPPAN, V.R. *see* ILANGUMARAN, S.  
 NAGASAKI, A. *see* HATA, H.  
 NAGATA, N. *see* HOSAKA, N.  
 NAGELKERKEN, L. *see* NIJHUIS, E.W.P.  
 NANBARA, S. *see* KARIMINE, N.  
 NARUSE, T. *see* TSUKADA, Y.  
 NAVIKAS, V., LINK, J., WAHREN, B., PERSSON, CH. & LINK, H. Increased levels of interferon-gamma (IFN- $\gamma$ ), IL-4 and transforming growth factor-beta (TGF- $\beta$ ) mRNA expressing blood mononuclear cells in human HIV infection, 59  
 N'DIAYE, M. NIANG *see* LAUNOIS, P.  
 NEU, N. *see* RABAUSCH-STARZ, I.  
 NIJHUIS, E.W.P., REMARQUE, E.J., HINLOOPEN, B., VAN DER POW-KRAAN, T., VAN LIER, R.A.W., LIGTHART, G.J. & NAGELKERKEN, L. Age-related increase in the fraction of CD27<sup>+</sup>CD4<sup>+</sup> T cells and IL-4 production as a feature of CD4<sup>+</sup> T cell differentiation *in vivo*, 528  
 NISHIMURA, A. *see* ENDO, H.  
 NISHIYAMA, T. *see* MITSUYAMA, K.  
 NOCKHER, W.A., WIGAND, R., SCHOEPE, W. & SCHERBERICH, J.E. Elevated levels of soluble CD14 in serum of patients with systemic lupus erythematosus, 15  
 O'BRIEN, L. *see* WARWICK-DAVIES, J.  
 ODERA, E.O. *see* KURTZHALS, J.A.L.  
 OGLESBY, R. *see* SPIKAKIS, P.P.  
 OLAFSON, R.W. *see* KURTZHALS, J.A.L.  
 OLIVEIRA, G.G.S., HUTCHINGS, P.R., ROITT, I.M. & LYDYARD, P.M. Production of erythrocyte autoantibodies in NZB mice is inhibited by CD4 antibodies, 297  
 OLSEN, N.J. *see* MCHUGH, N.J.  
 ONO, K. *see* TSUKADA, Y.  
 PANG, G., COUCH, L., BATEY, R., CLANCY, R. & CRIPPS, A. GM-CSF, IL-1 $\alpha$ , IL-1 $\beta$ , IL-6, IL-8, IL-10, ICAM-1 and VCAM-1 gene expression and cytokine production in human duodenal fibroblasts stimulated with lipopolysaccharide, IL-1 $\alpha$  and TNF- $\alpha$ , 437  
 PAPST, R. *see* HENSEL, A.  
 PAVLOVITCH, J.H., RIZK-RABIN, M., PICARD, F., MARUSSIG, M. & HALBREICH, A. The significance of the pre-challenge immune status of mice for development of retrovirus-induced immunodeficiency syndrome (MAIDS), 64  
 PEEK, R., WESTPHAL, J.R., PRUIJN, G.J.M., VAN DER KEMP, A.J.W. & VAN VENROOIJ, W.J. Adenovirus infection induces loss of HLA class I and CD3 antigens, but does not induce cell surface presentation of the La (SS-B) autoantigen, 395  
 PENTECOST, B.L. *see* LYNCH, M.  
 PERSSON, CH. *see* NAVIKAS, V.  
 PETER, H.H. *see* RIECKEN, B.  
 PETER, H.H. *see* SCHWAB, J.  
 PETZOLDT, K. *see* HENSEL, A.  
 PHILIPPE, N. *see* GARIN, L.  
 PICARD, F. *see* PAVLOVITCH, J.H.  
 PINEL, A.M. *see* VIGNOLA, A.M.  
 PINTO, L.A. *see* COVAS, M.J.  
 POLLARD, K.M. *see* HULTMAN, P.  
 PONTES, J.E. *see* HILLMAN, G.G.  
 POZZILLI, P. *see* CAVALLO, M.G.  
 POW-KRAAN, VAN DER T. *see* NIJHUIS, E.W.P.  
 POWELL, R.J. *see* ATTA, M.S.  
 PRINCE, S.J. *see* LUE, C.  
 PRITZE, S. *see* SOBOSLAY, P.T.  
 PRUIJN, G.J.M. *see* PEEK, R.  
 PURI, R.K. *see* HILLMAN, G.G.  
 QUEZADA, R. *see* TORRES, M.  
 RABAUSCH-STARZ, I., SCHWAIGER, A., GRÜNEWALD, K., MÜLLER-HERMELINK, H.-K. & NEU, N. Persistence of virus and viral genome in myocardium after Cocksackievirus B3-induced murine myocarditis, 69  
 RADL, J. *see* LUE, C.  
 RAGNAUD, J.-M. *see* AMARA, A.  
 RAMOS, E. *see* TORRES, M.  
 RAMU, G. *see* ILANGUMARAN, S.  
 RANIERI, E. *see* SCIVITTARO, V.  
 RASKA JR, K. *see* KIM, H.-S.  
 RASKOVA, J. *see* KIM, H.-S.  
 REMARQUE, E.J. *see* NIJHUIS, E.W.P.  
 RIDLEY, R.G. *see* JAKOBSEN, P.H.  
 RIECKEN, B., GUTFLEISCH, J., SCHLESIER, M. & PETER, H.H. Impaired granulocyte oxidative burst and decreased expression of leucocyte adhesion molecule-1 (LAM-1) in patients with Wegener's granulomatosis, 43  
 RIENTE, L. *see* DOLCHER, M.P.  
 RIGAL, D. *see* GARIN, L.  
 RIZK-RABIN, M. *see* PAVLOVITCH, J.H.  
 ROBBINS, J.B. *see* AVANZINI, M.A.  
 ROITT, I.M. *see* OLIVEIRA, G.G.S.  
 RONCELLA, S. *see* BURGIO, V.L.  
 RUCO, L.P. *see* BURGIO, V.L.  
 RUITER, D.J. *see* WESTPHAL, J.R.  
 SABBATINI, A. *see* DOLCHER, M.P.  
 SADA, E. *see* TORRES, M.  
 SAIKI, T. *see* MITSUYAMA, K.  
 SAITO, A. *see* KAWAKAMI, K.  
 SÄLLBERG, M. *see* ZHANG, Z.X.  
 SARTHOU, J.L. *see* LAUNOIS, P.  
 SASAKI, E. *see* MITSUYAMA, K.  
 SCHAEFER, K.-U. *see* KURTZHALS, J.A.L.  
 SCHALKWIJK, C.J.M. *see* WESTPHAL, J.R.  
 SCHENA, F.P. *see* SCIVITTARO, V.  
 SCHEPER, R.J. *see* DE GRUIJL, T.D.  
 SCHERBERICH, J.E. *see* NOCKHER, W.A.  
 SCHEWN, S.A. *see* SCIVITTARO, V.  
 SCHLESIER, M. *see* RIECKEN, B.  
 SCHNEERSON, R. *see* AVANZINI, M.A.  
 SCHOEPE, W. *see* NOCKHER, W.A.  
 SCHULZ-KEY, H. *see* SOBOSLAY, P.T.  
 SCHWAB, J., LUKOWSKY, A., VOLK, H.-D., PETER, H.H. & MELCHERS, I. Precursor frequencies for DNA-specific B lymphocytes in patients with systemic lupus erythematosus (SLE), 450  
 SCHWAIGER, A. *see* RABAUSCH-STARZ, I.  
 SCIVITTARO, V., GESUALDO, L., RANIERI, E., MARFELLA, C., SCHEWN, S.A., EMANCIPATOR, S.N. & SCHENA, F.P. Profiles of immunoregulatory cytokine production *in vitro* in patients with IgA nephropathy and their kindred, 311  
 SEGELMARK, M., BASLUND, B. & WIESLANDER, J. Some patients with anti-myeloperoxidase autoantibodies have a C-ANCA pattern, 458  
 SPIKAKIS, P. *see* SPIKAKIS, P.P.  
 SPIKAKIS, P.P., OGLESBY, R., SPIKAKIS, P. & TSOKOS, G.C. B7/BB1 provides an important costimulatory signal for CD3-mediated T lymphocyte proliferation in patients with systemic lupus erythematosus (SLE), 8  
 SHANKER NARAYAN, N.P. *see* ILANGUMARAN, S.  
 SHAKOOR, Z. *see* HAMBLIN, A.S.  
 SHEARER, M.H. *see* BRIGHT, R.K.  
 SHIBATA, A. *see* HANAWA, H.  
 SILVERMAN, E.D. *see* EBERHARD, B.A.  
 SOBOSLAY, P.T., LÜDER, C.G.K., HOFFMANN, W.H., MICHAELIS, I., HELLING, G., HEUSCHEL, C., DREWECK, C.M., BLANKE, C.H., PRITZE, S., BANLA, M. & SCHULZ-KEY, H. Ivermectin-facilitated immunity in onchocerciasis: activation of parasite-specific Th1-type responses with subclinical *Onchocerca voluculus* infection, 238  
 SÖDERSTRÖM, R. *see* AVANZINI, M.A.  
 SÖDERSTRÖM, T. *see* AVANZINI, M.A.  
 SONOKI, T. *see* HATA, H.

- SOUILLET, G. *see* GARIN, L.  
 SREDNI, Y. *see* EISENSTEIN, Z.  
 STAGG, A.J., FUNAUCHI, M., KNIGHT, S.C., WEBSTER, A.D.B. & FARRANT, J. Failure in antigen responses by T cells from patients with common variable immunodeficiency (CVID), 48  
 STANLEY, J.N.A. *see* KHANOLKAR-YOUNG, S.  
 STEPHENS, C.O. *see* MCHUGH, N.J.  
 STOCKLEY, R.A. *see* LYNCH, M.  
 STOLLAR, B.D. *see* KUBOTA, T.  
 STORER, B.E. *see* MALKOVSKA, V.  
  
 T HART, B.A. *see* TURNER, S.  
 TAKAGISHI, K. *see* ENDO, H.  
 TAKATSUKI, K. *see* HATA, H.  
 TAKEMOTO, S. *see* HATA, H.  
 TAKEUCHI, N. *see* HORIUCHI, A.  
 TANDON, N. *see* ARNOLD, K.  
 TANIKAWA, K. *see* MITSUYAMA, K.  
 TANNER, I. *see* GOTTSTEIN, B.  
 TATEISHI, H. *see* MITSUYAMA, K.  
 TERAN, L. *see* TORRES, M.  
 THEANDER, T.G. *see* KURTZHALS, J.A.L.  
 THEANDER, T.G. *see* JAKOBSEN, P.H.  
 THEANDER, T.G. *see* KEMP, M.  
 THORPE, R. *see* CAVALLO, M.G.  
 TODD, I. *see* ATTA, M.S.  
 TONEGAWA, M. *see* ENDO, H.  
 TOOGOOD, A.A. *see* WHEATCROFT, N.J.  
 TORRES, M., MENDEZ-SAMPEIRO, P., JIMENEZ-SAMUDIO, L., TERAN, L., CAMARENA, A., QUEZADA, R., RAMOS, E. & SADA, E. Comparison of the immune response against *Mycobacterium tuberculosis* antigens between a group of patients with active pulmonary tuberculosis and healthy household contacts, 75  
 TÓTH, F.D., MOSBORG-PETERSEN, P., KISS, J., ABOAGYE-MATHIESEN, G., ŽDRAVKOVIC, M., HAGER, H., ARANYOSI, J., LAMPÉ, L. & EBBESEN, P. Antibody-dependent enhancement of HIV-1 infection in human term syncytiotrophoblast cells cultured *in vitro*, 389  
 TOYONAGA, A. *see* MITSUYAMA, K.  
 TROJNAR, J. *see* ZHANG, Z.X.  
 TSENG, M.-L. *see* LUE, C.  
 TSOKOS, G.C. *see* SPIKAKIS, P.P.  
 TSUKADA, Y., ONO, K., MAEZAWA, A., YANO, S. & NARUSE, T. A major pathogenic antigen of Heymann nephritis is present exclusively in the renal proximal tubule brush border—studies with a monoclonal antibody against pronase-digested tubular antigen, 303  
 TSURUTA, O. *see* MITSUYAMA, K.  
 TUCHIDA, M. *see* HANAWA, H.  
 TURCOTTE, R. *see* GOSSELIN, D.  
 TURLEY, S.J. *see* HULTMAN, P.  
 TURNER, S., BAKKER, N.P.M., T HART, B.A., MORGAN, P.J.L. & HOLT, K. Identification of antibody epitopes in the CB-11 peptide of bovine type II collagen recognized by sera from arthritis-susceptible and -resistant rhesus monkeys, 275  
  
 UCHIYAMA, T. *see* AKATSUKA, H.  
 UEO, T. *see* KARIMINE, N.  
  
 VAN BRED A VRIESMAN, P.J.C. *see* DAMOISEAUX, J.G.M.C.  
 VAN DEN BERG, W.B. *see* VAN DE PUTTE, L.B.A.  
 VAN DEN HOEK, A.E.M. *see* JACOBS, M.J.M.  
 VAN DEN WALL, L. *see* LUE, C.  
 VAN DE PUTTE, L.B.A. *see* WESTPHAL, J.R.  
 VAN DE PUTTE, L.B.A. & VAN DEN BERG, W.B. Suppression of hen egg lysozyme-induced arthritis by intravenous antigen administration: no role in this for antigen-driven bystander suppression, 36  
 VAN HAARST, J.M.W. *see* HAVENITH, C.E.G.  
  
 VAN LIER, R.A.W. *see* NIJHUIS, E.W.P.  
 VAN VENBOOIJ, W.J. *see* PEEK, R.  
 VAN VOOREN, J.P. *see* LAUNOIS, P.  
 VELLOSO, L.A., EIZIRIK, D.L., KARLSSON, F.A. & KÄMPE, O. Absence of autoantibodies against glutamate decarboxylase (GAD) in the non-obese diabetic (NOD) mouse and low expression of the enzyme in mouse islets, 129  
 VICTORINO, R.M.M. *see* COVAS, M.J.  
 VIERWINDEN, G. *see* WESTPHAL, J.R.  
 VIGNOLA, A.M., CHANEZ, P., CAMPBELL, A.M., PINEL, A.M., BOUSQUET, J., MICHEL, F.-B. & GODARD, PH. Quantification and localization of HLA-DR and intercellular adhesion molecule-1 (ICAM-1) molecules on bronchial epithelial cells of asthmatics using confocal microscopy, 104  
 VOLK, H.-D. *see* SCHWAB, J.  
 VON BLOMBERG-VAN DER FLIER, M.M.E. *see* DE GRUIJL, T.D.  
 VRIES, E.D. *see* DE GRUIJL, T.D.  
  
 WAHREN, B. *see* NAVIKAS, V.  
 WAHREN, B. *see* ZHANG, Z.X.  
 WALLACH, D. *see* ETTEHAD, P.  
 WALLHAGEN, K. *see* ZHANG, Z.X.  
 WARWICK-DAVIES, J., DHILLON, J., O'BRIEN, L., ANDREW, P.W. & LOWRIE, D.B. Apparent killing of *Mycobacterium tuberculosis* by cytokine-activated human monocytes can be an artefact of a cytotoxic effect on the monocytes, 214  
 WATANABE, K. *see* MITSUYAMA, K.  
 WEBSTER, A.D.B. *see* STAGG, A.J.  
 WEETMAN, A.P. *see* ARNOLD, K.  
 WEETMAN, I.D. *see* WHEATCROFT, N.J.  
 WEISS, M. *see* EISENSTEIN, Z.  
 WELSH, K. *see* MCHUGH, N.J.  
 WESTPHAL, J.R., BOERBOOMS, A.M.Th., SCHALKWIJK, C.J.M., KWAST, H., DE WEIJERT, M., JACOBS, C., VIERWINDEN, G., RUITER, D.J., VAN DE PUTTE, L. B.A. & DE WAAL, R.M.W. Anti-endothelial cell antibodies in sera of patients with autoimmune diseases: comparison between ELISA and FACS analysis, 444  
 WESTPHAL, J.R. *see* PEEK, R.  
 WHEATCROFT, N.J., TOOGOOD, A.A., LI, T.C., WEETMAN, I.D. & COOKE, A.P. Detection of antibodies to ovarian antigens in women with premature ovarian failure, 122  
 WHYTE, J. *see* MCHUGH, N.J.  
 WIESLANDER, J. *see* SEGELMARK, M.  
 WIGAND, R. *see* NOCKHER, W.A.  
 WILLIAMSON, J.D. *see* CLARKE, J.R.  
 WUNDERLIN, E. *see* GOTTSTEIN, B.  
  
 YACHI, A. *see* KOBAYASHI, T.  
 YAMAGUCHI, M. *see* KOBAYASHI, T.  
 YAMASHITA, H. *see* AKATSUKA, H.  
 YANO, S. *see* TSUKADA, Y.  
 YOSHIDA, M. *see* AKATSUKA, H.  
 YOUNG, D.B. *see* KHANOLKAR-YOUNG, S.  
  
 ŽDRAVKOVIC, M. *see* TÓTH, F.D.  
 ZHANG, Z.X., CHEN, M., WALLHAGEN, K., TROJNAR, J., MAGNIUS, L.O., WAHREN, B. & SÄLLBERG, M. Molecular basis for antibody cross-reactivity between the hepatitis C virus core protein and the host-derived GOR protein, 403  
 ZIELEN, S., DENGLE, T.J., BAUSCHER, P. & MEUER, S.C. Defective CD2 T cell pathway activation in common variable immunodeficiency (CVID), 253  
 ZOCCHI, M. *see* BURGIO, V.L.  
 ZUPO, S. *see* BURGIO, V.L.  
 ZWILLING, B.S. *see* HILBURGER, M.E.

## Subject Index

65-kD antigen, 79

*Actinobacillus pleuropneumoniae*, 91  
active immunization, 202  
acute graft-versus-host disease, 34  
adenovirus, 395  
adherent cells, 323  
adhesion, 335  
adhesion molecules, 170  
adjuvant oil, 281  
adrenalectomy, 166  
Ag 85, 86  
ageing, 528  
AIDS, 59, 384  
allogeneic BMT, 344  
alveolar macrophages, 187, 339  
ANCA, 458  
animal model, 275  
animal models, 31  
anti- $\alpha\beta$  TCR antibody therapy, 470  
anti-CD4 antibodies, 297  
anti-DNA antibodies, 450  
anti-V $\beta$ 8.1,2 MoAb, 500  
anti-centromere antibodies, 267  
anti-fibronectin antibodies, 20, 26  
anti-idiotypic, 350  
anti-nuclear antibodies, 285  
antibodies, 427  
antibody, 64  
antibody activity of monoclonal IgM, 466  
antibody production, 238  
antibody response, 54  
antibody-secreting cells, 356  
antigen presentation, 225, 535  
antigen recognition, 238  
antigen-driven bystander suppression, 36  
antigen-specific, 36  
antigen-specific T cell responses, 48  
antigenic regions, 403  
antigens, 75  
arthritis, 36, 281  
asthma, 104  
autoantibodies, 317, 379, 458  
autoantigen, 129, 395  
autoimmune diseases, 1  
autoimmune myocarditis, 470  
autoimmunity, 69, 122, 379, 403  
autoimmunity/autoantibodies, 275

B cells, 508, 521  
B7/BB1 antigen, 8  
bacterial extracts, 466  
bone marrow, 170, 521  
bronchial asthma, 110  
bronchial epithelium, 104  
bronchoalveolar lavage, 91, 182  
fluid, 193  
bronchoalveolar lavages, 339

CD2, 253  
CD26, 292  
CD27, 528  
CD28 antigen, 8  
CD3, 395  
CD31, 170  
CD38, 370

CD4<sup>+</sup> T cell, 528  
CD45, 528  
CD8<sup>+</sup> T cell line, 138  
CD8<sup>+</sup> alveolitis, 187  
CD8, 364  
cDNA, 129  
calcitriol, 214  
capsular polysaccharide, 54  
cell adhesion, 26  
cellular immunity, 245  
cellular responses, 238  
children, 344  
collagen, 275  
collagen binding domain, 20, 26  
common variable immunodeficiency, 2, 4  
complement receptors, 389  
confocal microscopy, 104  
corticosterone, 166  
Coxsackievirus B3, 69  
Crohn's disease, 432  
cross-reactivity, 403  
*Cryptococcus neoformans*, 230  
cyclosporin A, 513  
cyclosporine A, 508  
cytokine inhibitors, 1  
cytokine production, 484  
cytokine, 116, 202, 260  
cytokines, 1, 31, 98, 238, 410, 437, 508, 535  
cytotoxicity, 1, 152

dendritic cell, 513  
dendritic cells, 339  
dengue virus, 202  
dexamethasone, 166  
dilated cardiomyopathy, 470  
dipeptidyl peptidase IV, 292  
disease activity, 15  
disease protection, 202  
DNA-specific B cells, 450  
double-negative T cell, 292  
duodenal fibroblasts, 437

E-selectin, 335  
*Echinococcus multilocularis*, 245  
efficacy of thrombolysis, 427  
ELISA, 20, 91, 379, 444  
EN-4, 170  
endothelium, 444  
enhancement, 389  
epitope mapping, 491  
ethanol, 521  
experimental autoimmune orchitis, 1  
extracellular matrix, 26

FACS, 444  
fatty acid conjugates, 379  
Fc receptors, 389  
fibrillar, 285  
flow cytometry, 470  
fluorocytometry, 64  
gastric carcinoma, 484  
glomerulonephritis, 317, 458  
gp330, 303  
gp63, 410, 416  
granulocyte function, 43

- Grave's disease, 323, 329
- heat shock protein, 208
- heat shock proteins, 86
- Heymann nephritis, 303
- HIV, 389
- HIV-1, 187
- HIV infection, 379, 384
- HIV proviral DNA copy number, 182
- HIV quantification, 182
- HLA, 267
- HLA class I, 395
- HLA-DQ and HLA-DR, 344
- HLA-DR, 104
- HTLV-1, 193
- human, 416
- human  $\gamma\delta$  T cells, 158
- humoral immunity, 245
- ICAM-1, 437
- IgA, 356
- IgA nephropathy, 116, 311
- IgE, 350
- IgG, 350
- IgG1, 245
- IgG3, 245
- IgG subclasses, 54
- IL-1, 323, 432
- IL-2, 225, 311, 323
- IL-4, 59, 311, 476, 528
- IL-6, 311
- IL-8, 432
- immune regulation, 138
- immune-complex deposits, 285
- immunization, 64, 91
- immunocytochemistry, 208
- immunoglobulin production, 508
- immunology, 75
- immunoregulation, 79, 410
- immunosuppression, 470
- immunotherapy, 1, 158
- in situ* hybridization, 69
- insulin-dependent diabetes mellitus, 129
- intercellular adhesion molecule-1, 104, 335
- interferon-gamma, 59, 214, 311, 476
- intracellular killing, 214
- intravenous, 36
- islets of Langerhans, 129
- Ity/Lsh/Bcg* gene, 218
- ivermectin, 238
- juvenile rheumatoid arthritis, 260
- La (SS-B), 395
- LAK, 152
- leishmaniasis, 410
- lepromin conversion, 86
- leprosy, 79, 208
- light chain disease, 458
- limiting dilution assay for B cells, 450
- lipophosphoglycan-associated protein, 416
- lipopolysaccharide, 437
- Lol p 1*, 350
- lpr*-GVHD, 500
- lung, 230
- lymphocyte proliferation, 384
- lymphocyte proliferation test, 535
- lymphokine-activated killer cell activity, 484
- lymphoplasma cytic proliferation, 46
- mRNA, 116
- MAIDS, 64
- macrophages, 230
- malaria, 98
- membrane-associated lymphotoxin, 15
- MHC class II, 225
- mice, 285
- MIP-1 $\alpha$ , 187
- mixed cryoglobulinaemia, 317
- mixed leucocyte reaction, 339
- MoAb, 370
- monoclonal antibody, 303
- monocyte, 214
- monocytes, 15
- mononuclear cells, 344
- mouse, 138
- MRL/Mp-*lpr/lpr* mice, 292
- MRL/*lpr* mice, 500
- murine alveolar echinococcosis, 245
- mycobacterial infections, 218
- Mycobacterium leprae*, 79, 86
- Mycobacterium lepraemurium*, 218
- Mycobacterium tuberculosis*, 75, 214
- myelin-associated glycoprotein, 466
- myeloma, 370
- myeloperoxidase, 458
- myocarditis, 69
- neuropeptides, 384
- nickel, 535
- NZB mice, 297
- onchocerciasis, 238
- ovarian antibodies, 122
- ovarian failure, 122
- oxidative burst, 43
- PCA-1, 370
- percutaneous exposure, 281
- peripheral blood leucocytes, 182
- peripheral lymphoid tissues, 170
- peripheral nerve, 208
- peripheral neuropathy, 466
- peritoneal immunization, 356
- pig, 91
- plasma cell, 370
- polymerase chain reaction, 69, 193
- pre-B cells, 521
- precursor frequencies for B cells, 450
- protective T cells, 86
- psoriasis, 146
- pulmonary disease, 193
- pulmonary immune responses, 339
- purified protein derivative, 48
- rapamycin, 508
- rat, 513
- rats, 281
- regional lymph node, 484
- regulation, 350
- renal cell carcinoma, 476
- reverse transcriptase, 193
- rheumatoid arthritis, 31, 444
- sarcoidosis, 335
- SCID mice, 158, 500
- scleroderma, 267
- secretory immunity, 356
- serine protease, 292
- serotypes, 403
- signal transduction, 323
- silver, 285
- single cell, 260
- skin graft, 64
- soluble CD14 antigen, 15
- soluble E-selectin, 110
- soluble ICAM-1, 110
- soluble IL-2 receptor, 98

- soluble TNF receptors, 146
- spleen, 484
- streptokinase, 427
- substance P, 384
- superantigen, 422
- suppressor cell precursors, 218
- surface marker analysis, 43
- SV40, 491
- syncytiotrophoblast, 389
- synovial fluid, 260
- synthetic peptides, 403, 491
- systemic lupus erythematosus, 8, 15, 20
- systemic vasculitis, 458
- T cell activation, 8
- T cell hybridoma, 225
- T cell proliferation, 253
- T cell repertoire, 364, 500
- T cell responses, 329
- T cell subsets, 416
- T cells, 230, 410
- T helper subsets, 79
- T lymphocytes, 253
- TCR, 364
- tetanus toxoid, 48, 356, 535
- Th1 cells, 116
- Th2 cells, 59, 116
- therapy of autoimmune disease, 297
- thymus, 170, 513
- thyroid-associated ophthalmopathy, 329
- tolerance, 36, 64
- toxic shock syndrome, 422
- transforming growth factor-beta, 59
- TT-specific B cells, 450
- Tub-Ag, 303
- tuberculosis, 225
- tumour immunity, 491
- tumour necrosis factor, 146, 166, 422
- tumour necrosis factor-alpha, 110, 214, 432, 476
- tumour vaccine, 491
- ulcerative colitis, 432
- vascular cell adhesion molecule-1, 335
- vasculitis, 444
- V $\beta$ , 364
- VCAM-1, 437
- visceral leishmaniasis, 416
- Wegener's granulomatosis, 43

